

United States Department of the Interior
National Park Service

National Register of Historic Places Registration Form

This form is for use in nominating or requesting determinations for individual properties and districts. See instructions in National Register Bulletin, *How to Complete the National Register of Historic Places Registration Form*. If any item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, architectural classification, materials, and areas of significance, enter only categories and subcategories from the instructions.

1. Name of Property

Historic name: Bluff Historic District

Other names/site number: _____

Name of related multiple property listing:

(Enter "N/A" if property is not part of a multiple property listing)

2. Location

Street & number: Consisting of area at Court St., Kidder St., Church St., Bloomingdale St., and Oak Place

City or town: Vermillion State: South Dakota County: Clay

Not For Publication: Vicinity:

3. State/Federal Agency Certification

As the designated authority under the National Historic Preservation Act, as amended,

I hereby certify that this X nomination ___ request for determination of eligibility meets the documentation standards for registering properties in the National Register of Historic Places and meets the procedural and professional requirements set forth in 36 CFR Part 60.

In my opinion, the property X meets ___ does not meet the National Register Criteria. I recommend that this property be considered significant at the following level(s) of significance:

___ national ___ statewide X local

Applicable National Register Criteria:

___A ___B XC ___D

<p>_____ Signature of certifying official/Title:</p>	<p>_____ Date</p>
<p>_____ State or Federal agency/bureau or Tribal Government</p>	
<p>In my opinion, the property ___ meets ___ does not meet the National Register criteria.</p>	
<p>_____ Signature of commenting official:</p>	<p>_____ Date</p>
<p>_____ Title :</p>	<p>_____ State or Federal agency/bureau or Tribal Government</p>

Bluff Historic District
Name of Property

Clay County, South Dakota
County and State

4. National Park Service Certification

I hereby certify that this property is:

- entered in the National Register
- determined eligible for the National Register
- determined not eligible for the National Register
- removed from the National Register
- other (explain:) _____

Signature of the Keeper

Date of Action

5. Classification

Ownership of Property

(Check as many boxes as apply.)

- Private:
- Public – Local
- Public – State
- Public – Federal

Category of Property

(Check only **one** box.)

- Building(s)
- District
- Site
- Structure
- Object

Bluff Historic District
Name of Property

Clay County, South Dakota
County and State

7. Description

Architectural Classification

(Enter categories from instructions.)

LATE VICTORIAN: Queen Anne

LATE 19TH & 20TH CENTURY REVIVALS: Colonial Revival

LATE 19TH & 20TH CENTURY AMERICAN MOVEMENTS: Bungalow/Craftsman

MODERN MOVEMENT: Ranch

MODERN MOVEMENT: Contemporary

Materials: (enter categories from instructions.)

Principal exterior materials of the property:

STONE

BRICK

CONCRETE

WOOD: clapboard

WOOD: shingle

ASPHALT

SYNTHETICS: vinyl

SYNTHETICS: asbestos

Narrative Description

(Describe the historic and current physical appearance and condition of the property. Describe contributing and noncontributing resources if applicable. Begin with a **summary paragraph** that briefly describes the general characteristics of the property, such as its location, type, style, method of construction, setting, size, and significant features. Indicate whether the property has historic integrity.)

Summary Paragraph

The Bluff Historic District is a two block long residential historic district located in Vermillion on a bluff that overlooks the Missouri River to the south and downtown Vermillion to the north. The district is located in an early residential neighborhood and is surrounded on the north and south by residential areas developed in the late nineteenth through the mid-twentieth century. On the east side of the district is Church Street which also borders a water processing plant and community library. The district extends along S. Court Street and includes properties along the portion of Bloomingdale Street that crosses S. Court Street at the approximate midpoint. The district has a traditional rectilinear grid pattern with narrow, deep lots facing the street. There are sidewalks and boulevard trees along S. Court and Bloomingdale Streets. Lots are characterized by sodded yards, with houses having relatively consistent setbacks along the street. The district is primarily composed of one to two-and-a-half story frame houses that date from the late nineteenth through mid-twentieth century, and associated outbuildings that include garages and

Bluff Historic District
Name of Property

Clay County, South Dakota
County and State

sheds. Architecturally, houses in the district range from Late Victorian (Queen Anne and Folk Victorian); to Late Nineteenth and Early Twentieth Century Revival (Colonial Revival); to Late Nineteenth and Early Twentieth Century American Movements (Bungalow/Craftsman); to post World War II examples of the Modern Movement. Outbuildings reflect more vernacular/traditional building forms. The district consists of 26 contributing resources (18 primary and 8 secondary buildings) and 22 noncontributing resources (8 primary and 14 secondary buildings). One property was previously listed in the National Register of Historic Places. The E.H. Willey House at 104 S. Court Street was listed in the National Register in 1982 (NRIS #82003922).

Over the decades, owners have made several kinds of changes to houses within the district. The most common are the use of modern asbestos or vinyl siding, the use of replacement roofing, the replacement of windows within the original openings, and the construction of additions. Houses with changes were generally still considered contributing if one or two types of material changes did not substantially change the essential architectural design of the house or if additions were attached to secondary elevations and were of modest profile. If material changes were of a nature to obscure essential characteristics or if structural changes or additions affected primary elevations, those properties are generally considered noncontributing. Most garages have been rebuilt and historic garages tend to be simple gable frame structures. Despite the use of some modern replacement materials in the district, essential features clearly characterizing the various significant architectural styles and demonstrate overall integrity of location, setting, design, materials, workmanship, association, and feeling.

Narrative Description

The Bluff Historic District is a residential historic district located in Vermillion, Clay County, South Dakota. The district is located in an early residential neighborhood situated high on a bluff overlooking the Missouri River to the south and downtown Vermillion to the north. The district is surrounded on the north and south by residential areas that were developed in the late nineteenth through the mid-twentieth century.

The district is primarily located along South Court Street and includes several properties located along Bloomingdale Street, the east-to-west cross street. The district begins one block south of Main Street and extends southward along South Court Street. It includes all properties fronting South Court Street, and properties on the south side of Bloomingdale Street. Views from the district of the river bluff and valley south of the district are significant aspects of the district's setting.

The district is comprised of portions of several different plats that have a traditional rectilinear grid pattern with narrow, deep lots facing the street. The district is primarily comprised of houses and associated outbuildings dating from the late nineteenth through mid-twentieth century. Within the district, there are sidewalks and boulevard trees along South Court Street and Bloomingdale Street. With one exception, houses follow a relatively consistent setback from the street, with sodded yards and ancillary buildings, such as garages that are set back along

Bluff Historic District
 Name of Property

Clay County, South Dakota
 County and State

the side or behind the house. Court Street ends in a cul-de-sac at the south end along the bluff, and the houses at 214 Oak Place and 18.5 Bloomingdale Streets are located on drives that align with alleys in the blocks along the bluff.

Architecturally, the district includes houses that range in style from Late Victorian: Queen Anne, and Folk Victorian; to Late Nineteenth and Early Twentieth Century Revivals: Colonial Revival; to Late Nineteenth and Early Twentieth Century American Movements: Bungalow/Craftsman; to post World War II examples of the Modern Movement: Minimal Traditional. Houses range from one to two-and-a-half-stories in height of frame construction with either gable or hip roofs. Exterior materials vary widely from clapboard, to brick, to modern replacement materials, such as metal and vinyl. Outbuildings such as garages, classified as secondary buildings, mostly reflect more vernacular/traditional building forms.

104 S. Court Street	Contributing	CL00000422	1897
----------------------------	--------------	------------	------

E.H. Willey House

NRIS #82003922

This two-and-a-half story Queen Anne, set on a stone foundation, is a frame home with wooden clapboard siding. Variegated hexagonal and diamond shingles cover the uppermost portion in gable ends and porches. It has a central hip roof with lower cross gables, a single central chimney, and is covered with asphalt shingles. The front elevation facing Court Street has a one-story porch covering the entire width of the home on the first level and a single bay on the second story. The porches have carved posts, a double railing of turned balusters, small decorative scroll brackets at the posts, and small pendants from the frieze board. The fenestration is one-over-one, wooden sash windows for the majority of the home with the exception of the large wood picture window with a stained glass transom set south of the main entrance. There is a rear enclosed porch on the north elevation.

Secondary: Noncontributing
c. 1990

The front-gabled frame garage with asphalt shingles has two bays and is located to the south side of the lot facing Court St. It has wood shingles and clapboard siding, two hinged doors designed with decorative framing, and asphalt singles on the roof.

110 S. Court Street	Noncontributing	CL02000001	1868
----------------------------	-----------------	------------	------

This two-story single-pen frame house has a brick foundation and a side gable roof with a full-width rear gable wing. The house has asbestos tile siding, a front entrance porch, and a screened single-bay porch on the south side elevation. The projecting pediment with Doric columns over an enclosed entrance, added sometime after 1912, uses unfinished wooden plank flooring and steps with brick footers. Fenestration is one-over-one wood sash windows with vinyl storm windows. The gable roof is covered in asphalt shingles and has a central brick chimney. Changes to siding, trim, and porch greatly impact the material and design integrity.

Bluff Historic District
 Name of Property

Clay County, South Dakota
 County and State

Secondary: Noncontributing
 1985¹

The front-gabled frame garage has a single bay and is located to the east side of the lot along the alley. It has asbestos siding, wood trim and asphalt shingles on the roof.

116 S. Court Street	Contributing	CL02000002	1931
----------------------------	--------------	------------	------

This single-story frame house, set on a concrete foundation, has asbestos siding. The hip roof has asphalt shingles and a single exterior brick chimney on the south side. There are two projecting, overlapping gables on the façade. There is a small, louvered wood vent in the upper gable and the entrance and a tall three-light window on the lower gable. The central entrance segmental arch wood door has a nine-light window and an arched surround. Fenestration mostly consists of three-over-one wooden sash windows with vinyl storm windows in wood surrounds with simple caps. The steps leading to the front porch are brick and concrete.

Secondary: Noncontributing

The front-gabled frame garage, unknown construction date, has a single bay and is located on the alley. It has a vinyl siding and an asphalt shingle roof.

122 S. Court Street	Contributing	CL02000003	1892
----------------------------	--------------	------------	------

This two-story Craftsman house is a frame house, set on a concrete foundation, with asbestos siding. Its gable roof has asphalt shingles. The house has a full-width enclosed porch with a hip roof and exposed rafter tails, and there is a one-story addition on the north elevation. The main house and addition have wood windows with aluminum storm windows and the porch has one-over-one wood windows with wood screen windows.

Secondary: Noncontributing
 c. 1987²

This side-gabled frame garage, constructed in 1987, has a single bay with an addition on the east side. The garage is located also on the east side along the alley. It has asbestos siding, one hinged door, and asphalt shingles on the roof.

124 S. Court Street	Contributing	CL02000004	1924
----------------------------	--------------	------------	------

This one-and-a-half story frame Craftsman is set on a stuccoed foundation with wood clapboard siding. The gabled roof uses asphalt shingles and wide roof eaves with exposed rafter tails and carved end rafters. There is a shed roof dormer on the façade over a projecting gable entrance canopy with large knee brackets. Fenestration is six-over-one for most of the house, although the two windows flanking the main door facing Court Street and those in the dormer are fixed six-pane. There are also wooden storm windows around the majority of the home. Front steps are concrete with concrete knee walls. A long addition to the east side of the house includes a solarium built in 1978.³

¹ City of Vermillion, building permit #3755.
² City of Vermillion, building permits #3875 and #4868
³ City of Vermillion, building permits #5471 and #2418.

Bluff Historic District
 Name of Property

Clay County, South Dakota
 County and State

Secondary: Noncontributing
 1972⁴

This gable garage is located on the east side of the lot directly behind the home. It has wide board siding, a single-bay overhead vinyl door on the east elevation facing the alley, three picture windows on the south elevation, and asphalt shingles.

204 S. Court Street	Contributing	CL02000005	1948
----------------------------	--------------	------------	------

This one-story frame Ranch house is set on a brick foundation with brick siding, except for wide composite board siding on the gable-ends on the north, south, and east elevations. It has a side-gable roof with asphalt shingles and a central brick chimney. The fenestration is six-over-one vinyl sashes and a single large picture window with aluminum storm window to the right of the main door. There is a metal canopy with scrolled metal supports over the concrete patio of a recessed wing on the south elevation.

Secondary: Noncontributing
 1963/2001⁵

The original single-bay garage, facing north, has an addition built in 2001 facing the alley to the east. It is located on the southeast side of the property. Fenestration consists of one-over-one vinyl windows. It has vinyl siding, two hinged doors, and asphalt shingles on the roof.

208 S. Court Street	Noncontributing	CL02000006	1894
----------------------------	-----------------	------------	------

Eyre House

This two-and-a-half story Queen Anne is set on a Sioux quartzite block foundation and its wooden frame is covered with vinyl siding. There is fish-scale shingle siding in a flared band between the first and second floors, as well as in the gable ends. The house has lattice panels and carved bargeboard in the gable ends and small decorative brackets and pendant in the canted corner of the projecting bay on the south elevation. The hip roof with lower cross-gables is covered in standing-seam sheet metal with a brick chimney on the rear roof slope. The one-story hip porch wraps around the front and south side of the home. It has Doric columns, turned baluster, and a metal roof. Most fenestration is one-over-one with wooden sashes and vinyl storm windows. A square projecting bay with art-glass stained glass windows is supported by carved brackets on the north elevation. A one-story gable roof addition is on the southeast corner. There is a transom window over a set of paired windows on the first floor. Awnings cover the tall windows on the west and south side. Although some historic details like sections of shingle siding have been retained, the additions, vinyl siding, and use of a metal roof lower the overall historic integrity of the home.

⁴ City of Vermillion, building permit #3038.

⁵ City of Vermillion, building permits #745 and #1431

Bluff Historic District
 Name of Property

Clay County, South Dakota
 County and State

Secondary: Noncontributing

The one-bay double-width wood frame garage sits on the alley, facing south. The garage has narrow clapboard siding, corner boards, a wood paneled door, 25-over-1 windows, and a standing seam metal roof.

224 S. Court Street	Noncontributing	CL00000392	1900
----------------------------	-----------------	------------	------

Governor Lee Residence

This two-and-a-half-story Queen Anne is set on a stone foundation. The frame house has vinyl siding and stone siding and a side-gable roof with asphalt shingles. A single large stone chimney crowns the roof. There is an enclosed addition to the north side of the home with a brick veneered foundation and a shed roof. Fenestration is mostly one-over-one with diamond lattice work in the upper sashes. Fixed aluminum awnings cover the second-story, west-facing windows. There is an eyebrow dormer facing north on the second-story projecting gable. A curved stone porch wraps around the southwest corner, enclosed with tall vinyl windows. There is a hip roof projecting gable with a picture window on the south end of the roof. Off the rear southwest corner there is a two-level addition with a projecting story over the basement level. Alterations include replacing shingle siding with vinyl, the accompanying loss of historic window trim and gable-end woodwork, enclosing the second-floor porch on the south end, enclosing the first floor stone porch, and enclosing the side entrance porch on the north elevation.⁶ These alterations have diminished the design and material integrity of the house.

Secondary: Noncontributing

1968/1988

This three-bay, front-gable garage has a second-story addition on the south side of the structure and uses vinyl siding. The addition has a shed roof. Asphalt shingles cover the roof. The original two-bay garage was built in April 1968 and the addition in January 1988. The garage is located on the east side of the lot.

215 S. Court Street	Contributing	CL02000007	1897
----------------------------	--------------	------------	------

The Prentis House

This two-story Colonial Revival house has a painted brick foundation. The hip roof has asphalt shingles and closed eaves. The frame house has wooden clapboard siding, as well as classical dentil moldings and Doric columns on the full-width one-story porch and the gable roof dormer. The dormer has a multi-pane Palladian window and cornice returns. Wide front steps lead up to the centered main entrance. The porch has Doric columns, turned balusters, and an open upper deck with a modern metal railing. Corner boards with flared Ionic capitals frame the home and the roof dormer. Fenestration is one-over-one with wooden sashes, with picture windows with transoms flanking the entrance. On the north elevation, there is a central two-story canted bay. On the south elevation, there is a Palladian-shaped porch with Doric columns, dentil molding, and a metal upper balustrade that has a setback enclosure of framed-in screen material.

⁶ Historic photograph, Lee Residence, Clay County Historic Preservation Commission website, <http://www.cchpc.org/gallery/view.php?i=1>; City of Vermillion, building permits #5155, #2005, and #3942

Bluff Historic District
 Name of Property

Clay County, South Dakota
 County and State

Secondary: Noncontributing
 1996

This single-bay, hip pyramid garage has wooden clapboard siding and an asphalt shingle roof. Globe lights flank the garage entrance and five, four pane windows line the opposite side. The garage is located on the northwest corner of the property.

203 S. Court Street	Noncontributing	CL02000008	1897
----------------------------	-----------------	------------	------

This two-story Folk Victorian home is set on a concrete foundation. The siding is cement board and the cross-gable roof has asphalt shingles and boxed vinyl eaves. There is an enclosed porch on the northeast corner connected to the canted bay window on the east elevation. On the rear elevation, there is a single-story gable-roof addition. Fenestration is primarily two-over-two wood windows with aluminum storm windows. The enclosed porch has one-over-one aluminum windows and there is a large picture window on the south half of the east elevation. The dormer on the south slope of the east wing has side-by-side single pane windows. Off the eastern wing, there is a shed roof entrance enclosure on the north elevation, a shed roof addition on the east elevation, and a further gable roof extended breezeway off the east elevation. This home has extensive additions and modifications made to the windows, roof, and siding which lower the material and design integrity.

Secondary: Noncontributing
 1972/1983⁷

This two-bay, side-gable garage has a shed roof canopy on the north side. The siding is of cement board and the roof is covered in asphalt shingles. The garage faces Bloomingdale Street.

125 S. Court Street	Contributing	CL02000009	1923
----------------------------	--------------	------------	------

This one-and-a-half story Craftsman house has a brick foundation. The siding is wood clapboard with square shingles on the second story and brick veneer on the covered porch. The asphalt shingle roof has eaves with exposed rafter tails and knee brackets and extends over the full-width front porch. There is a gable roof dormer on the façade with rafter tails, brackets, and a group of three four-over-one wood windows. Fenestration varies between four-over-one and three-over-one with wooden sashes and projecting bay windows on the side elevations. There are small fanlight windows in the gable end peaks. A zig-zag pattern in the coloration of the brick is visible on the porch and chimney.

Secondary: Noncontributing
 c. 1997⁸

There is a large double-bay two-story garage/guest house on the rear of the lot facing Bloomingdale St. built in about 1997. The guest house has a concrete foundation, clapboard and shingle siding, a front gable roof with exposed rafters and brackets, and an asphalt roof. There are large gable wall dormers on the east and west elevation. There is a large projecting bay on

⁷ City of Vermillion, building permits #3551 and #2340

⁸ City of Vermillion, building permits #5036 and #5027.

Bluff Historic District
 Name of Property

Clay County, South Dakota
 County and State

the second floor of the façade with a grouping of three eight-pane vinyl windows and two-pane transoms above. On the west elevation, there are multiple four- and six-pane windows that are single or in groups.

117 S. Court Street	Contributing	CL02000010	1931
----------------------------	--------------	------------	------

This one-and-a-half story Craftsman house has a stuccoed foundation. The front-gable roof is clad in asphalt shingles and uses exposed rafters and brackets in the eaves. Five wood steps with clapboard knee walls lead up to the full-width, historically-enclosed front porch which maintains the full ribbon of double-hung four-over-one windows. The wood clapboard siding has a flared bottom edge around the porch and square wood shingles in the gable ends. There is a pair of four-over-one windows in the front gable end and most of the other fenestration is also four-over-one wood windows with vinyl storm windows. There are gable roof dormers with paired windows and knee brackets on the north and south elevations.

Secondary: Contributing

This front gable, single-bay, frame garage has wooden clapboard siding and a shingle roof. It is located on the northwestern corner of the property.

18 Bloomingdale Street	Contributing	CL02000011	1931
-------------------------------	--------------	------------	------

This two-story Craftsman is built around a wood frame set on a stuccoed foundation. Vinyl siding covers the exterior and maintains the flared edges of the enclosed porch. The side-gable roof has asphalt shingles, boxed vinyl eaves, wooden knee brackets, and has a central brick chimney on the front roof slope near the ridge. There is a projecting front entrance porch on the west half of the façade. It has a hip roof and is enclosed with sided half-walls and six-over-one wood windows with wood storm windows. The windows are six-over-one vinyl storm windows except for the upper hip dormer that has three, four-over-one windows.

Secondary: Contributing

This single-bay front-gable garage has narrow wooden clapboard siding and asphalt shingles and a wood panel door; it is set on the south side of the lot facing the alley.

18.5 Bloomingdale Street	Contributing	CL02000013	1957
---------------------------------	--------------	------------	------

This single-story Ranch is set on a concrete foundation. The frame house uses wooden clapboard siding, and the side-gable roof is covered with asphalt shingles. Fenestration consists of two-over-two wood windows with horizontal muntins and vinyl storm windows. A metal awning with V-shaped supports covers the entrance to the attached garage and a shed canopy with scroll-cut frieze extends over the front steps.

22 Bloomingdale Street	Contributing	CL02000012	1915
-------------------------------	--------------	------------	------

This two-story Foursquare house is set on a concrete foundation with vinyl siding. The house has a hip roof and a one-story flat projection on the west elevation. The roof has asphalt shingles, boxed eaves, a single brick chimney, and a central pyramidal roof dormer with two ten-light wood windows. The one-bay enclosed front porch was added in 1953 to the central entrance

Bluff Historic District
 Name of Property

Clay County, South Dakota
 County and State

and has vinyl siding and a pyramidal roof.⁹ Fenestration consists of mostly one-over-one wood windows, with fixed louvered shutters, and a mixture of wood and aluminum storm windows.

Secondary: Contributing

There is a wood frame garage off the southeast corner of the house. The garage has single-bay vinyl overhead garage door west of the entrance, clapboard siding, and a gable roof.

16 Bloomingdale Street	Contributing	CL02000014	1955
-------------------------------	--------------	------------	------

This single-story Ranch home is set on a concrete block foundation with wide wood siding. The low hip roof uses asphalt shingles and has boxed eaves. Fenestration is one-over-one wood windows with wood storm windows, and there is wood picture window on the façade east of the entrance. The steps leading to the front door are brick and concrete and they have metal railings.

Secondary: Noncontributing

This two-bay hip roof garage has a concrete foundation, clapboard siding, and asphalt shingles. It is located on the northeastern side of the property facing the alley and was built around 1978.

32 Bloomingdale Street	Contributing	CL02000015	1927
-------------------------------	--------------	------------	------

This one-story Craftsman is set on a stuccoed foundation with wood clapboard siding and square shingles in the gable ends. The side-gable roof with projecting front-gable on the west half of the façade is covered with asphalt shingles, has a front gable roof dormer, and has an exterior brick chimney on the east elevation. The roof has wide eaves with exposed rafter tails and knee brackets. The entry porch extends beyond the half-width front gable and has tapered columns, scrolled metal supports to either side of the front door, and three-over-one wood windows. The fenestration is mostly three-over-one with wood windows, including the smaller paired windows on the gable roof dormer.

Secondary: Contributing

This single-bay garage has a side-gable roof with asphalt shingles. It has clapboard siding, exposed rafter tails, and a large picture window. It is located on the west side of the lot.

15 Bloomingdale Street	Contributing	CL00000259	1897
-------------------------------	--------------	------------	------

Ravi House

This two-story Colonial Revival front-gable house has a stuccoed foundation with wood clapboard siding. The roof has asphalt shingles, closed eaves, and cornice returns. The gable wall dormers on the side elevations have closed eaves with cornice returns. The front porch has a hip roof, dentil molding, turned spindles, and a non-historic square baluster railing. Fenestration is mostly one-over-one wood windows with a large picture window with leaded glass transom on the east bay of the facade and aluminum storm windows. On the west elevation, there is a historic canted bay window and a smaller floating bay window with vinyl casement windows. There is a small rear entrance porch on the southeast corner of the house.

⁹ City of Vermillion, building permits #563 and #5455.

Bluff Historic District
 Name of Property

Clay County, South Dakota
 County and State

21 Bloomingdale Street	Contributing	CL02000016	1926
-------------------------------	--------------	------------	------

This one-story Craftsman has a stuccoed foundation with wood clapboard siding and square shingles in the gable ends. There is a gable porch extending from the east half of the façade that has flared clapboard knee walls and is enclosed with four-over-one wood windows. The front-gable roof has asphalt shingles. This home also has exposed rafter tails, corner braces, and carved end rafters. The fenestration consists of four-over-one wood windows. Existing storm windows are a mix of wood and aluminum sashes. The front steps leading to the door are poured concrete.

Secondary: Contributing

This single-bay, front-gable garage is set on a concrete foundation with lap siding and asphalt shingles. The bay door is on a sliding track. It is located on the southeastern side of the lot.

25 Bloomingdale Street	Noncontributing	CL00000258	1897
-------------------------------	-----------------	------------	------

This two-and-a-half story wood frame Queen Anne home sits on a stone foundation and has siding of wooden clapboards with square and fish-scale shingles in the gable ends. The roof uses asphalt shingles and fenestration consists of one-over-one wood windows with mostly aluminum storm windows. Windows on the one-story rear addition may be vinyl sashes. On the west elevation, there is a two-story canted bay with hip roof. The home has had a large, enclosed porch added to the façade that wraps around the east elevation, and there is a small addition on the rear elevation. The front addition, in particular, diminishes the design integrity of the house.

Secondary: Contributing

This two-bay, front-gable, frame garage uses clapboard siding and asphalt shingles. It sits to the southwest corner of the lot.

214 Oak Place	Contributing	CL02000017	1950
----------------------	--------------	------------	------

This two-story Modern house is set on a poured concrete foundation with the board-form markings visible, and it has vertical wooden siding. The L-shaped shed roof is covered with tar paper and has a brick chimney in the center ell. The one-story, ground-level patio entrance is set deep under the roofline with a stone walkway and bordered by a wood lattice screen. There are two, low, twelve-light glass block windows and groups of wood windows with retractable awnings on the west elevation. On the south elevation, overlooking the river bluff, there is a patio entrance with louvered sidelights and two sets of double windows on the basement level, and there are ribbons of windows with wooden sashes on the main floor.

Secondary: Contributing

This two-bay, front-gable, frame garage is set on a concrete slab, uses wooden clapboard siding and asphalt shingles. It is located on the northwestern side of the lot.

117 Church Street	Noncontributing	CL02000018	1892
--------------------------	-----------------	------------	------

This one-story home is set on a stucco foundation. The frame home uses asbestos siding and the hip roof with centered cross-gable is covered with asphalt shingles. Fenestration consists of a wood picture window centered under the central gable, and one-over-one with wooden sashes on

Bluff Historic District
 Name of Property

Clay County, South Dakota
 County and State

the remainder of the home. Changes to the siding have lowered the design integrity of the simple house.

111 Church Street	Noncontributing	CL02000019	1881
--------------------------	-----------------	------------	------

This one-story Folk Victorian frame house has a concrete foundation and vinyl siding. The cross-gable roof has asphalt shingles. The fenestration is one-over-one wood windows with vinyl storm windows. Bay windows on the northeast elevation are also one-over-one. The enclosed porch is on the south end of the east elevation. On the south side, there is a one-story metal awning over a rear entrance. The various changes to the home including siding, additions, and alterations to the porch have lowered the material and design integrity of this house.

Secondary: Noncontributing

There is a gable-roof frame garage at the back of the lot oriented to the alley. It was built recently.

107 Church Street	Noncontributing	CL02000020	1892
--------------------------	-----------------	------------	------

This two-story home is set on a poured concrete foundation. Its wood frame uses vinyl siding while the gable-and-wing roof has asphalt shingles and a central brick chimney. Fenestration is one-over-one. A portion of the roof that extends lower over the entrance is supported with three square posts. Along the south elevation are bay windows and a wall dormer. There is also a short wall dormer on the façade. This house has undergone multiple changes which have affected its integrity.

103 Church Street	Contributing	CL02000021	1902
--------------------------	--------------	------------	------

This one-story home rests on a brick foundation and has wood clapboard siding with wide corner boards. The clipped pyramidal roof uses asphalt shingles and has a single painted brick chimney at the center. The full-width porch on the façade was enclosed within the historic period, and there is an enclosed addition with wood clapboard siding and bands of windows on the rear northwest corner. The house has one-over-one wood windows with wood storm windows, although the front porch windows are aluminum screen-combination windows. Two windows on the south elevation have curved fixed metal awnings. The rear west elevation of the house has a small porch area with squared railings and turned support posts.

Secondary: Contributing

c. 1902

This single-bay front gable garage has wooden clapboard siding, exposed rafter tails, and a sheet metal roof. It sits on the northwest portion of the lot facing Kidder St.

11 Kidder Street	Contributing	CL02000022	1954
-------------------------	--------------	------------	------

This one-story Ranch home is set on a concrete block foundation and its siding consists of wooden clapboard and narrow vertical siding in the gable end and around the front entrance. The side-gable roof has asphalt shingles and a short brick chimney centered on the roof ridge. Fenestration is one-over-one wood sash windows with aluminum storm windows. The roof of the house extends slightly over the entrance. The entrance door has large wood paneled shutters

Bluff Historic District
Name of Property

Clay County, South Dakota
County and State

fixed to either side. The porch has squared posts tied to the house with horizontal rungs on either side of the entryway on the eastern end of the facade. The brick lined porch floor extends into a flower bed. The east side of the house has a small metal awning with wrought iron railings on either side covering a side entrance.

Secondary: Noncontributing
1981¹⁰

This single-bay, front-gable frame garage is set on a concrete slab, with wooden clapboard siding and asphalt shingles on the southwestern corner of the lot on the alley.

¹⁰ City of Vermillion, Building Permit #3396.

Bluff Historic District
Name of Property

Clay County, South Dakota
County and State

8. Statement of Significance

Applicable National Register Criteria

(Mark "x" in one or more boxes for the criteria qualifying the property for National Register listing.)

- A. Property is associated with events that have made a significant contribution to the broad patterns of our history.
- B. Property is associated with the lives of persons significant in our past.
- C. Property embodies the distinctive characteristics of a type, period, or method of construction or represents the work of a master, or possesses high artistic values, or represents a significant and distinguishable entity whose components lack individual distinction.
- D. Property has yielded, or is likely to yield, information important in prehistory or history.

Criteria Considerations

(Mark "x" in all the boxes that apply.)

- A. Owned by a religious institution or used for religious purposes
- B. Removed from its original location
- C. A birthplace or grave
- D. A cemetery
- E. A reconstructed building, object, or structure
- F. A commemorative property
- G. Less than 50 years old or achieving significance within the past 50 years

Bluff Historic District
Name of Property

Clay County, South Dakota
County and State

Areas of Significance

(Enter categories from instructions.)

ARCHITECTURE

Period of Significance

1868-1957

Significant Dates

1897

1931

Significant Person

(Complete only if Criterion B is marked above.)

N/A

Cultural Affiliation

N/A

Architect/Builder

N/A

Statement of Significance Summary Paragraph (Provide a summary paragraph that includes level of significance, applicable criteria, justification for the period of significance, and any applicable criteria considerations.)

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Bluff Historic District
Name of Property
Clay County, South Dakota
County and State
Name of multiple listing (if applicable)

Section number 11 Page 18

The Bluff Historic District meets the National Register Criterion C and is significant at the local level in the area of architecture within the period of significance extending from 1868 to 1957. The period of significance begins in 1868 with the construction of the earliest surviving building in the district, and extends through 1957, when the active period of construction in the district ceased. This includes the earliest homes built on the bluff when most of the town was still located by the river, the late nineteenth century homes built after the 1881 flood that destroyed much of the lower town, and the early twentieth century homes built as the town's business, university, and professional communities flourished. According to construction dates on record at the county equalization office, there were multiple homes completed in 1897 and 1931. The contributing homes and secondary buildings that make up the Bluff Historic District provide a clear insight into the prominence and diversity of their owners through their level of architectural design and varying styles. As such it is an excellent representation of late-nineteenth and early-twentieth century residential architecture in Vermillion, which is a testament to the growth and prosperity of Vermillion during this period. The district consists of 26 contributing resources (18 primary and 8 secondary buildings) and 22 noncontributing resources (8 primary and 14 secondary buildings).

Narrative Statement of Significance (Provide at least **one** paragraph for each area of significance.)

The Bluff Historic District meets National Register Criterion C and is significant at the local level in the area of architecture within the period of significance extending from 1868 to 1957. This neighborhood area was first developed in 1868 when the majority of the town was still at its original site near the river. After the 1881 flood, the expansion of the university, and growth in town population there was a notable increase in building activity in Vermillion. The relative safety of the river bluff in comparison with the river bottoms proved an attractive rebuilding location for the town. This neighborhood appealed to a variety of well-to-do town residents including a governor, successful merchants, lawyers, professors, and newspaper editors. The homes of the district are reflective of their owners' prosperity and showcase fine examples of late nineteenth century through early twentieth century residential styles of Vermillion. The district includes prominent examples of Queen Anne, Colonial Revival, Craftsman, Contemporary Modern, and Ranch style residences.

ARCHITECTURE

Throughout the Bluff Historic District, there are late-nineteenth through early-twentieth century residential homes that showcase a range of architectural styles found in Vermillion. Not only do these houses reflect the status of their owners, but also provide insight into the development of

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Bluff Historic District
Name of Property
Clay County, South Dakota
County and State
Name of multiple listing (if applicable)

Section number 11 Page 19

the town as a whole. The growth of the government, the University of South Dakota, and the business community contributed to the residential makeup of prominent community members. The homes are balanced between several regal Queen Anne models, stately Colonial Revival designs, and several Craftsman and Ranch houses that mirror the more modest construction of adding housing density to a growing town.

Queen Anne:

The Queen Anne style was the dominant style of domestic architecture in the western United States from 1880 to 1900. The style came about as a result of the Industrial Revolution, as new technologies began to emerge that allowed builders to use mass-produced, pre-cut architectural trim and other similar decorative elements. It spread rapidly as a result of the wide dissemination of pattern books and an expanding railroad network, which increased the availability of new products. The Queen Anne style persisted with decreasing popularity through the first decade of the twentieth century. Architectural expressions of the Queen Anne style in the district followed national and regional trends, with a dominant front-facing gable, full-length or wrap-around porches, asymmetrical façade, and variations in wall surface to avoid a smooth-walled appearance. The E.H. Willey House at 104 S. Court St. is an excellent example of a Queen Anne home with its full length porch, shingled gable ends, asymmetrical façade, and carved balusters.

Colonial Revival:

Colonial Revival style homes has long been popular but was particularly so from 1880 to 1900 and from 1920 to 1940 across the country. The first wave of interest was brought by European-trained architects who built homes for wealthier individuals while the second wave came with WWI servicemen returning from the war. Features of the Colonial Revival style include a symmetrical façade with accentuated central entry, the use of columns and pilasters, and paired double-hung windows, often with multi-pane glazing in the upper sash. The Prentis House at 215 S. Court St. is the most elaborate example of the style in the district.

Craftsman:

The Craftsman style is well-represented in the district, depicting influence from bungalows and the Arts and Crafts Movement. Due to the promotion of the Craftsman style in pattern books and popular magazines, it became the leading style for smaller houses throughout the United States between 1905 and 1930. The style originated in California and quickly grew in popularity as it offered a simple and economical alternative to the elaborate Queen Anne designs. The Craftsman style emphasized the use of simple forms and natural materials. A low-pitched roof with wide overhanging eaves, exposed rafter tails and eave brackets, and prominent front porches characterize the Craftsman style. Exterior chimneys and divided light over single pane sash

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Bluff Historic District
Name of Property
Clay County, South Dakota
County and State
Name of multiple listing (if applicable)

Section number 11 Page 20

windows also denote the Craftsman style as represented in the district. The houses at 117, 124, and 125 S. Court St. as well as 21 and 32 Bloomingdale showcase the Craftsman style with wide roof eaves, exposed rafter tails, knee brackets, and carved end rafters.

Contemporary Modern:

The Contemporary Modern style also makes an appearance in the district. This style of home was first brought to the mainstream by Frank Lloyd Wright just after the turn of the century and by 1960s had gained considerable recognition – producing a range of varieties. The Contemporary Modern home focuses on the manner in which the exterior space and nature related to the interior.¹¹ Exterior ornamentation is minimal and instead works to integrate the home into its environment. The shed roof, deep entryway recess, and large expanse of uninterrupted wall space of 214 Oak Place are all characteristics of a Contemporary Modern home.

Ranch:

There are several Ranch Style homes present in the district. This style of home had explosive popularity in post-war, automobile-based America. Sprawling layouts were made possible by the automobiles and exceptionally cheap land prices. Manufactured building materials allowed for affordable and quickly constructed homes. In addition to the broad, low single-story frame, the Ranch style most often has a large picture window, broad roof overhang, and an off center entrance.¹² The Governor Lee District has several fine examples of the Ranch style. The house at 204 S. Court St. in particular has the characteristic features of the style.

Secondary Buildings:

The Bluff Historic District has six contributing secondary buildings – all of them garages with gable roofs. Four of the six small wood-frame structures have a single bay, and the remaining two are two-bay. The garages tend to mirror the pitch and style of the homes they accompany and are located mostly to the back of the lot. All roofing material has been replaced with asphalt; however all contributing garages maintain clapboard or lapped siding. Noncontributing garages were built outside the period of significance or have been greatly altered. Secondary structures like garages demonstrate the growing popularity and utility of automobiles and their incorporation into the design of domestic space.

¹¹ Virginia Savage McAlester, *A Field Guide to American Houses* (New York: Alfred A. Knopf, 2013), 630.

¹² McAlester, *A Field Guide*, 597-600.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Bluff Historic District
----- Name of Property
Clay County, South Dakota
----- County and State
----- Name of multiple listing (if applicable)

Section number 11 Page 21

Early History of Vermillion

The significance of the Bluff Historic District requires a brief history of its early development. The area in which Vermillion is located was acquired by the United States in 1803 as part of the Louisiana Purchase and in 1804, the Lewis and Clark Expedition visited the area. In 1849, the portion of South Dakota located east of the Missouri River became part of the Territory of Minnesota. A decade later, a large portion of southeastern South Dakota known as the Yankton Triangle was opened to settlement as a result of a treaty with the Yankton Sioux.¹³ The town of Vermillion was founded as a trade center on the banks of the Missouri River in 1859, making it one of the first towns to be established in the state.

Soon after Dakota Territory was established on March 2, 1861, the legislature designated Vermillion as the location of the territorial university. The University of South Dakota, the state's first institution of higher learning, was established in Vermillion in 1862, thereby increasing the prominence and lending permanence to the fledgling community. Vermillion was later incorporated in 1873.¹⁴

The original townsite of Vermillion was located in the valley of the Missouri River near the foot of the bluffs. In 1881, a major flood of the Missouri River wiped out most of the town. Soon after the flood, a meeting was held on April 4, 1881 where residents almost unanimously approved relocating the town to the top of the bluff, out of the floodplain. The price of lots on the bluff doubled almost overnight, generally selling for \$100 to \$200. The new downtown was centered along Main and Market Streets, extending along Market from Main to Union (later renamed Kidder), and along Main from Market to Church Streets.¹⁵

By 1890, the population of Vermillion was 1,496.¹⁶ Over the next decade, the population of Vermillion grew nearly 46 percent to 2,183.¹⁷ After the turn of the twentieth century, the population remained stagnant, increasing by only four residents to 2,187 in 1910.¹⁸ The community gradually grew over the next few decades to 2,590 in 1920, 2,850 in 1930, and 3,324

¹³ Mark Hufsteler and Michael Bedeau, *South Dakota's Railroads: An Historic Context* (Butte: Renewable Technologies, Inc., 2007), 6.

¹⁴ City of Vermillion, "Our History." City of Vermillion, http://www.vermillion.us/about_history.aspx.

¹⁵ Dan Christopherson. *The History of Vermillion, South Dakota Since the Great Flood of 1881* (Vermillion: City of Vermillion, 2007).

¹⁶ Department of Commerce, Bureau of the Census. *Thirteenth Census of the United States Taken the Year 1910* (Washington, DC: Government Printing Office, 1913), 679.

¹⁷ Ibid.

¹⁸ Ibid.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Bluff Historic District
----- Name of Property
Clay County, South Dakota
----- County and State
----- Name of multiple listing (if applicable)

Section number 11 Page 22

in 1940.¹⁹ After World War II, Vermillion experienced a boost in population because veterans were taking advantage of the G.I. Bill to attend the University of South Dakota and because of new government and military facilities in the area that attracted residents. Reflecting this prosperity, the population of Vermillion grew by over sixty percent between 1940 and 1950, to 5,337 residents in 1950.²⁰ While the pace of growth slowed in the 1950s, growing to a population of 6,102 in 1960, it picked up again in the 1960s, with the population growing fifty percent to 9,128 in 1970.²¹ This growth led to housing pressures in Vermillion, especially in the years after World War II as the nation, especially the manufacturing sector, transitioned from wartime production back to a peacetime manufacturing of consumer products. While many new areas were developed, vacant lots within established neighborhoods were also developed, deteriorated older houses were demolished and replaced by new residences and multi-family residences, and many large older houses were converted into apartments.

Bluff Historic District

The Bluff Historic District is located on the top of the bluffs which overlook the original townsite on the banks of the Missouri River. The east side of the district is one street to the left of the west of the Forest Avenue district. The southern edge of the district backs up to the bluff providing safety from possible floods and the fantastic views that first drew its residents. This area was recognized for its beauty and began to attract pioneers as early as 1873.²² The lots between Church St. to Court St. and from Kidder St. to Bloomingdale St. saw significant amounts of construction by 1892, partially due to the spike in bank and business expansion, but the density of homes continued to increase until the Great Depression of the 1930s. From 1948 to 1957, there were additional homes added to the district, aligning with the postwar population growth of the city. This growth was related to the University of South Dakota progression as

¹⁹ Department of Commerce, Bureau of the Census. *Fourteenth Census of the United States Taken the Year 1920* (Washington D.C.: Government Printing Office, 1921), 608; U.S. Department of Commerce, Bureau of the Census. *Fifteenth Census of the United States: 1930* (Washington, DC: Government Printing Office, 1932), 855; United States Department of Commerce, Bureau of the Census. *A Report of the Seventeenth Decennial Census of the United States, Census of Population: 1950* (Washington, DC: Government Printing Office, 1952), Ch. 41:12.

²⁰ Ibid.

²¹ United States Department of Commerce, Bureau of the Census. *Census of Population, PC (VI)-43 South Dakota, Advanced Report* (Washington, DC: Government Printing Office, 1970), 5.

²² Judith P. Krueger. *Forest Avenue Historic District National Register of Historic Places Inventory - Nomination Form*. 1978.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Bluff Historic District
----- Name of Property
Clay County, South Dakota
----- County and State
----- Name of multiple listing (if applicable)

Section number 11 Page 23

returning servicemen took advantage of the G.I. Bill, as well as the establishment of the National Guard Armory on the corner of Bloomingdale and Market Sts. in 1941.

The Bluff Historic District was home to prominent figures in the history of Vermillion's development. These residents made significant contributions to the political, social, economic, and educational life in the city of Vermillion. The earliest residents had the resources to build high status homes for themselves and their families.

Elias H. Willey

Elias H. Willey was a noted publisher of the *Dakota Republican* (or *Vermillion Republican*) newspaper and an influential editorial writer, especially regarding politics. Willey was born in May 1846 near Waterville, Vermont and learned the printing trade as an apprentice at sixteen.²³ He worked in Kansas, Iowa, Maine, and Wisconsin before coming to Dakota in 1887 where he worked at, then bought, the *Dakota Republican*, one of the oldest newspapers in the state.²⁴ In 1910, he sold his interest in the paper to Mark Sloan who then ran it with Willey's current partner, his nephew, Erie S. Danforth.²⁵ He married Sue L. Danforth in 1887 in Wisconsin, then Susie A. Chaffee after his first wife's death in 1898.²⁶ The house at 104 S. Court St. was designed and constructed for Willey in 1895 by builder Andrew Pickett and stone mason Hans Becklin.²⁷ E.H. Willey died in 1922 and was buried at Bluff View Cemetery in Vermillion.

Governor Andrew E. Lee

Andrew Erikson Lee was born near Bergen in 1847 in Norway. Lee immigrated to Wisconsin from Norway with his family in 1851.²⁸ In 1869, he started a dry goods store in Vermillion with friend Charles E. Prentis.²⁹ The Lee & Prentis store was first set up on the lower townsite that flooded in 1881.³⁰ Afterwards, they built a new store at the new townsite on the bluff, and both built their homes nearby with a view of the river. In 1915, historian G.W. Kingsbury claimed

²³ O.W. Coursey, *Who's Who in South Dakota*, vol. 2 (Mitchell, SD: Educator Supply Company, 1916), 57.

²⁴ Coursey, *Who's Who*, 58; *Memorial and Biographical Record of Turner, Lincoln, Union and Clay Counties, South Dakota* (Chicago: Geo. A. Ogle & Co., 1897), 31.

²⁵ Coursey, *Who's Who*, 59.

²⁶ *Ibid.*, 60.

²⁷ E.H. Willey House, National Register of Historic Places nomination form, #82003922.

²⁸ G.W. Kingsbury, *History of Dakota Territory*, vol. 4 (Chicago: S.J. Clarke Publishing Co., 1915), 965.

²⁹ Kingsbury, *History of Dakota Territory*, vol. 4, 46.

³⁰ *Ibid.*, 46.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Bluff Historic District
----- Name of Property
Clay County, South Dakota
----- County and State
----- Name of multiple listing (if applicable)

Section number 11 Page 24

that their business was the oldest business in continuous operation in Dakota Territory to that point.³¹ While working as a merchant in Vermillion in 1892, he championed a citizens' cause against the local water company and afterwards served on city council and as mayor for two terms.³² Lee ran for governor on the fusion ticket of the Democrat, free-silver Republican, and Populist parties.³³ Lee was elected to two terms as governor in 1896 and 1898. Although the establishment of a process for initiative and referendum was passed in 1898, many of his other reform efforts fell short because of a lack of electoral mandate, the continued hold that the Republican Party had on major state offices, and infighting amongst fusionists over political appointments.³⁴ During his term as governor, he also directed efforts to organize men and resources for the Spanish-American War but had to sue the Army to bring the state militia back to South Dakota.³⁵ In 1901, he demanded a legislative investigation into the alleged mismanagement of state institutions in Yankton, Sioux Falls, Redfield, and Plankinton.³⁶ The former governor made his living as a merchant in Vermillion and in managing "extensive farming and stock interests."³⁷ Governor Lee lived at 224 S. Court St. with his wife, Annie Chappell, and they had a daughter Jasemine (or Jessamine) who graduated from the University of South Dakota with a degree in law.³⁸ Andrew E. Lee died in 1934 and was buried at Bluff View Cemetery in Vermillion.

Charles E. Prentis

Charles E. Prentis was born in about 1848 in Wisconsin. Prentis came to Dakota Territory in 1869.³⁹ He started a general store in Vermillion in partnership with his friend Andrew E. Lee. He personally owned hundreds of acres northwest of town, and Lee & Prentis as a firm invested in many acres in nearby Riverside Township, Charles Mix County, and in Nebraska as well,

³¹ Kingsbury, *History of Dakota Territory*, vol. 4, 46.

³² Terrence J. Lindell, "Populists in Power: The Problems of the Andrew E. Lee Administration in South Dakota," *South Dakota History* 22(4) (Fall 1993), 346.

³³ G.W. Kingsbury, *History of Dakota Territory*, vol. 3 (Chicago: S.J. Clarke Publishing Co., 1915), 674; Lindell, "Populists in Power," 346.

³⁴ Lindell, "Populists in Power," 347-349, 355, 365.

³⁵ Kingsbury, *History of Dakota Territory*, vol. 3, 418

³⁶ *Ibid.*, 246.

³⁷ Doane Robinson, *History of South Dakota*, vol. 2 (B.F. Bowen & Co., 1904), 1340.

³⁸ Kingsbury, *History of Dakota Territory*, vol. 4, 966.

³⁹ *Ibid.*, 46.

United States Department of the Interior
National Park Service

**National Register of Historic Places
Continuation Sheet**

Bluff Historic District
----- Name of Property
Clay County, South Dakota
----- County and State
----- Name of multiple listing (if applicable)

Section number 11 Page 25

which were operated or sold at profit.⁴⁰ Prentis lived at 215 S. Court Street. He died in 1942 and was buried at Bluff View Cemetery in Vermillion.

CONCLUSION

The Bluff Historic District meets National Register Criterion C and is significant at the local level in the area of architecture between 1868 and 1957. This neighborhood on the Missouri River bluff has preserved popular architectural styles that continue to serve as snapshots of important milestones in the town's history. Although some replacement materials are found in the district, the overall integrity of the district is good, with essential features clearly characterizing the progression of significant architectural styles.

9. Major Bibliographical References

Bibliography (Cite the books, articles, and other sources used in preparing this form.)

Christopherson, Dan. *The History of Vermillion, South Dakota Since the Great Flood of 1881*. Vermillion: City of Vermillion, 2007.

City of Vermillion, Building Permits.

Clay County Historical Society. "Heritage Notes" <http://www.cchssd.org/heritage-notes/> (accessed July 2015).

Coursey, O.W. *Who's Who in South Dakota*. Vol. 2. Mitchell, SD: Educator Supply Company, 1916.

Hufsteler, Mark, and Michael Bedeau. *South Dakota's Railroads: An Historic Context*. Butte: Renewable Technologies, Inc., 2007.

Illustrated Historical Atlas of Clay County, South Dakota. E. Frank Peterson, 1901.

Kingsbury, G.W. *History of Dakota Territory*. Vols. 3 and 4. Chicago: S.J. Clarke Publishing Co., 1915.

⁴⁰ *Illustrated Historical Atlas of Clay County, South Dakota* (E. Frank Peterson, 1901), 47; *Standard Atlas of Clay County, South Dakota* (Chicago: Geo. A. Ogle, Co., 1912), 35; Kingsbury, *History of Dakota Territory*, vol. 4, 965.

United States Department of the Interior
National Park Service

**National Register of Historic Places
Continuation Sheet**

Bluff Historic District
----- Name of Property
Clay County, South Dakota
----- County and State
----- Name of multiple listing (if applicable)

Section number 11 Page 26

Lindell, Terrence J. "Populists in Power: The Problems of the Andrew E. Lee Administration in South Dakota." *South Dakota History* 22(4) (Fall 1993), 345-365.

McAlester, Virginia Savage. *A Field Guide to American Houses*. New York. Alfred A. Knopf, 2013.

Memorial and Biographical Record of Turner, Lincoln, Union and Clay Counties, South Dakota. Chicago: Geo. A. Ogle & Co., 1897.

Pevsner, Nikolaus et.al. *A Dictionary of Architecture*. Woodstock, New York. The Overlook Press, 1976.

Robinson, Doane. *History of South Dakota*. Vol. 2. B.F. Bowen & Co., 1904.

Rogers, Stephen and Lynda B. Schwan. *Architectural History in South Dakota*. Pierre: South Dakota State Historic Preservation Office, 2000.

Sanborn Map Company. *Insurance Map of Vermillion, South Dakota*. New York: Sanborn Map Company, 1892.

----. *Insurance Map of Vermillion, South Dakota*. New York: Sanborn Map Company, 1898.

----. *Insurance Map of Vermillion, South Dakota*. New York: Sanborn Map Company, 1903.

----. *Insurance Map of Vermillion, South Dakota*. New York: Sanborn Map Company, 1912.

----. *Insurance Map of Vermillion, South Dakota*. New York: Sanborn Map Company, 1923.

----. *Insurance Map of Vermillion, South Dakota*. New York: Sanborn Map Company, 1931.

----. *Insurance Map of Vermillion, South Dakota*. New York: Sanborn Map Company, 1939.

Schlarman, Julie. *Guide to the Architecture of Vermillion, South Dakota*. Vermillion: Clay County Historic Preservation Commission, n.d.

Standard Atlas of Clay County, South Dakota. Chicago: Geo. A. Ogle, Co., 1912.

United States Department of the Interior
National Park Service

**National Register of Historic Places
Continuation Sheet**

Bluff Historic District
----- Name of Property
Clay County, South Dakota
----- County and State
----- Name of multiple listing (if applicable)

Section number 11 Page 27

United States Department of the Interior, Census Office. *Report on the Population of the United States at the Eleventh Census: 1890, Part I*. Washington, DC: Government Printing Office, 1895.

----. *Thirteenth Census of the United States Taken the Year 1910*. Washington, DC: Government Printing Office, 1913.

----. *Fourteenth Census of the United States Taken the Year 1920*. Washington, DC: Government Printing Office, 1921.

----. *Fifteenth Census of the United States: 1930*. Washington, DC: Government Printing Office, 1932.

----. *A Report of the Seventeenth Decennial Census of the United States, Census of Population: 1950*. Washington, DC: Government Printing Office, 1952.

----. *Census of Population, PC (V1)-43 South Dakota, Advanced Report*. Washington, DC: Government Printing Office, 1970.

Vermillion Area Visitor and Tourism. "History of Vermillion"
<http://www.vermillioncvb.com/history.php> (accessed July 2015).

Previous documentation on file (NPS):

- preliminary determination of individual listing (36 CFR 67) has been requested
 previously listed in the National Register
 previously determined eligible by the National Register
 designated a National Historic Landmark
 recorded by Historic American Buildings Survey # _____
 recorded by Historic American Engineering Record # _____
 recorded by Historic American Landscape Survey # _____

Primary location of additional data:

State Historic Preservation Office

United States Department of the Interior
National Park Service

Bluff Historic District

Name of Property
Clay County, South Dakota

County and State

Name of multiple listing (if applicable)

National Register of Historic Places Continuation Sheet

Section number 11 Page 28

Other State agency

Federal agency

Local government

University

Other

Name of repository: _____

Historic Resources Survey Number (if assigned): Noted with properties in Section 7

10. Geographical Data

Acreage of Property 8.8 acres

Use either the UTM system or latitude/longitude coordinates

Latitude/Longitude Coordinates

Datum if other than WGS84: _____

(enter coordinates to 6 decimal places)

1. Latitude: _____ Longitude: _____

2. Latitude: _____ Longitude: _____

3. Latitude: _____ Longitude: _____

4. Latitude: _____ Longitude: _____

Or

UTM References

Datum (indicated on USGS map):

NAD 1927 or NAD 1983

1. Zone: 14 Easting: 669141.2498 Northing: 4738269.9013

United States Department of the Interior
National Park Service

Bluff Historic District
----- Name of Property
Clay County, South Dakota
----- County and State
----- Name of multiple listing (if applicable)

**National Register of Historic Places
Continuation Sheet**

Section number 11 Page 29

2.	Zone: 14	Easting: 669145.9184	Northing: 4738222.7644
3.	Zone: 14	Easting: 669081.9230	Northing: 4738218.1329
4.	Zone: 14	Easting: 669083.5413	Northing: 4738152.1076
5.	Zone: 14	Easting: 669031.3832	Northing: 4738148.2042
6.	Zone: 14	Easting: 669035.5485	Northing: 4738085.7409
7.	Zone: 14	Easting: 669146.2560	Northing: 4738083.6417
8.	Zone: 14	Easting: 669147.5633	Northing: 4738048.2343
9.	Zone: 14	Easting: 669204.0999	Northing: 4738052.6835
10.	Zone: 14	Easting: 669204.3117	Northing: 4738097.7536
11.	Zone: 14	Easting: 669261.8114	Northing: 4738098.7267
12.	Zone: 14	Easting: 669254.5017	Northing: 4738271.3667

Verbal Boundary Description (Describe the boundaries of the property.)

The district boundary comprises residential lots along Court Street south from Kidder to the bluff edge, along Bloomingdale Street between Market and Church Streets, on Oak Place (a short road off Bloomingdale Street), the houses on the west side of Church Street between Bloomingdale and Kidder Streets, and the houses on the south side of Kidder between Church and Court Streets.

Boundary Justification (Explain why the boundaries were selected.)

The boundary was selected to include the residential neighborhood surrounded by downtown Vermillion to the north, the river bluff to the south, and civic facilities to the east and west.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Bluff Historic District
----- Name of Property
Clay County, South Dakota
----- County and State
----- Name of multiple listing (if applicable)

Section number 11 Page 30

11. Form Prepared By

name/title: Crystal Kulhanek and Liz Almlie
 organization: South Dakota State Historic Preservation Office
 street & number: 900 Governors Drive
 city or town: Pierre state: South Dakota zip code: 57501
 e-mail shpo@state.sd.us
 telephone: 605-773-6056
 date: February 8, 2016

Additional Documentation

Submit the following items with the completed form:

- **Maps:** A **USGS map** or equivalent (7.5 or 15 minute series) indicating the property's location.
- **Sketch map** for historic districts and properties having large acreage or numerous resources. Key all photographs to this map.
- **Additional items:** (Check with the SHPO, TPO, or FPO for any additional items.)

Photographs

Submit clear and descriptive photographs. The size of each image must be 1600x1200 pixels (minimum), 3000x2000 preferred, at 300 ppi (pixels per inch) or larger. Key all photographs to the sketch map. Each photograph must be numbered and that number must correspond to the photograph number on the photo log. For simplicity, the name of the photographer, photo date, etc. may be listed once on the photograph log and doesn't need to be labeled on every photograph.

United States Department of the Interior
National Park Service

**National Register of Historic Places
Continuation Sheet**

Bluff Historic District

Name of Property
Clay County, South Dakota

County and State

Name of multiple listing (if applicable)

Section number 11 Page 31

Photo Log

Name of Property: Bluff Historic District
City or Vicinity: Vermillion
County: Clay State: South Dakota
Photographer: Crystal Kulhanek
Date Photographed: May 18, 2015

Description of Photograph(s) and number, include description of view indicating direction of camera:

SD_Clay County_Bluff HD_0001

Willey House, oblique view of south and west elevations, camera facing northeast.

SD_Clay County_Bluff HD_0002

View of 116 S. Court St, west façade, camera facing east.

SD_Clay County_Bluff HD_0003

View of 204 S. Court St., west façade, camera facing east.

SD_Clay County_Bluff HD_0004

View of 208 S. Court St. (noncontributing), west and south elevations, camera facing northeast.

SD_Clay County_Bluff HD_0005

View of Governor Lee House, 224 S. Court St. (noncontributing), north and west elevations, camera facing southeast.

SD_Clay County_Bluff HD_0006

View of Prentis House, 215 S. Court St., east façade, camera facing west.

SD_Clay County_Bluff HD_0007

View of 117 S. Court St., east and north elevations, camera facing southwest.

SD_Clay County_Bluff HD_0008

View of 32 Bloomingdale St., façade and west elevation, camera facing northeast.

United States Department of the Interior
National Park Service

**National Register of Historic Places
Continuation Sheet**

Bluff Historic District

Name of Property
Clay County, South Dakota

County and State

Name of multiple listing (if applicable)

Section number 11 Page 32

SD_Clay County_Bluff HD_0009

View of 15 Bloomingdale, façade and west elevation, camera facing southeast.

SD_Clay County_Bluff HD_0010

View of 214 Oak Place, north and west elevations, camera facing southeast.

SD_Clay County_Bluff HD_0011

View of 111 Church Street (noncontributing), east façade, camera facing west.

SD_Clay County_Bluff HD_0012

View of 11 Kidder St., façade and east elevation, camera facing southwest.

SD_Clay County_Bluff HD_0013

Street view of east side of 200-block of Court Street, camera facing southeast.

Paperwork Reduction Act Statement: This information is being collected for applications to the National Register of Historic Places to nominate properties for listing or determine eligibility for listing, to list properties, and to amend existing listings. Response to this request is required to obtain a benefit in accordance with the National Historic Preservation Act, as amended (16 U.S.C.460 et seq.).

Estimated Burden Statement: Public reporting burden for this form is estimated to average 100 hours per response including time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding this burden estimate or any aspect of this form to the Office of Planning and Performance Management, U.S. Dept. of the Interior, 1849 C. Street, NW, Washington, DC.

United States Department of the Interior
National Park Service

National Register of Historic Places
Continuation Sheet

Bluff Historic District
----- Name of Property
Clay County, South Dakota
----- County and State
----- Name of multiple listing (if applicable)

Section number 11 Page 33

List of Property Owners :
 Clay County Equalization Office website, February 24, 2016


Property Address	Owner	Primary	Secondary
104 South Court Street	Holly Straub	Contributing	Noncontributing
110 South Court Street	Holly Straub	Noncontributing	Noncontributing
116 South Court Street	Joseph and Brittany Bonik	Contributing	Noncontributing
122 South Court Street	Clarence Jr. and Marilyn Voundry	Contributing	Noncontributing
124 South Court Street	Andrew and Gale Peterson	Contributing	Noncontributing
204 South Court Street	Gail Buhler	Contributing	Noncontributing
208 South Court Street	Mitchell and Jennifer Flanagan	Noncontributing	Noncontributing
224 South Court Street	David Derouchey Charitable Trust	Noncontributing	Noncontributing
215 South Court Street	Michael and Paula G. Keller	Contributing	Noncontributing
203 South Court Street	David and Cindy Lias	Noncontributing	Noncontributing
125 South Court Street	Larry Shipley	Contributing	Noncontributing
117 South Court Street	Steven and Nancy Bell	Contributing	Contributing
18 Bloomingdale Street	Robert Stoner Rev Trust	Contributing	Contributing
22 Bloomingdale Street	Phyllis Packard	Contributing	Contributing
18 ½ Bloomingdale Street	Melvin Walz	Contributing	N/A
16 Bloomingdale Street	Moses N. Ikiugu and Marie Anne E. Ben	Contributing	Noncontributing
32 Bloomingdale Street	Sharon Gray	Contributing	Contributing
15 Bloomingdale Street	Karen Kay Muenster Trust	Contributing	N/A
21 Bloomingdale Street	Patrick and James Morrison	Contributing	Contributing
25 Bloomingdale Street	Richard and Hajnalka Draper	Noncontributing	Contributing
214 Oak Place	David Rolf and Janice Rae Olsen	Contributing	Contributing
117 Church Street	Richard Fore	Noncontributing	N/A
111 Church Street	Jill and John Heins	Noncontributing	Noncontributing
107 Church Street	Pinetree LLC	Noncontributing	N/A
103 Church Street	Timothy and Susan D.C. Hanson	Contributing	Contributing
11 Kidder Street	William and Kelly Saunders	Contributing	Noncontributing

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Bluff Historic District
Name of Property
Clay County, South Dakota
County and State
Name of multiple listing (if applicable)

Section number 11 Page 34




United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Bluff Historic District
Name of Property
Clay County, South Dakota
County and State
Name of multiple listing (if applicable)

Section number 11 Page 35



United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Bluff Historic District
Name of Property
Clay County, South Dakota
County and State
Name of multiple listing (if applicable)

Section number 11 Page 36

